

530 Vistgerðir

Íslensk fitjuskrá

Umsjón efnisinnihalds:



Umsjón með útgáfu: Landmælingar Íslands



Vegna athugasemda og fyrirspurna vinsamlega hafið samband í síma 430 9000 eða sendið tölvupóst á Imi@mi.is

530 Vistgerðir

| | |
|---------------------|--|
| Nafn | Vistgerðir |
| Skilgreining | Vistgerð (e. habitat type) er landeining sem býr yfir ákveðnum eiginleikum hvað varðar loftslag, berggrunn, jarðveg, gróður og dýralíf. Innan sömu vistgerðar eru aðstæður með þeim hætti að þar þrífast svipuð samfélög plantna og dýra (http://www.ni.is/grodur/vistgerdir) |
| Kóði | 530 |

| Nöfn fitjueiginda | Heiti |
|--|-------------|
| Flokkun íslenskra vistgerða, 1. þrep | vg1 |
| Flokkun íslenskra vistgerða, 2. þrep (vistlendi) | vg2 |
| Flokkun íslenskra vistgerða, 3. þrep- | vg3 |
| Flokkun íslenskra vistgerða, 4. þrep | vg4 |
| Flokkun íslenskra vistgerða, 5. þrep | vg5 |
| Gridcode of fjarkönnun, ERDAS Image IMG | Gridcode |
| Heimildir fyrir flokkun og kortlagningu | gerdHeimild |
| EUNIS flokkun | EUNIS_1 |
| EUNIS flokkun (viðbot) | EUNIS_2 |
| Nýr EUNIS flokkur, tillaga | nyrEUNIS |

Fitjueigind

| | |
|--------------------------------------|--|
| Nafn | Flokkun íslenskra vistgerða, 1. þrep |
| Skilgreining | Aðgreining vistgerða á landi, í ferskvatni og fjöru. |
| Kóði | vg1 |
| Tegund eigindar í gagnagrunni | Textastrengur (e. character) [length: 5] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| Gildi fitjueigindar | | |
|-------------------------|-------------|---|
| <i>Nafn</i> | <i>Kóði</i> | <i>Skilgreining</i> |
| Vistgerðir á landi | L | Vistgerðir á landi (<i>Terrestrial</i>) |
| Vistgerðir í ferskvatni | V | Vistgerðir í ferskvatni (<i>Freshwater</i>) |
| Vistgerðir í fjöru | F | Vistgerðir í fjöru (<i>Littoral shores</i>) |

Fitjueigind

| | | |
|--------------------------------------|---|-------------|
| Nafn | Flokkun íslenskra vistgerða, 2. þrep (vistlendi) | |
| Skilgreining | Vistgerðir flokkaðar saman eftir skyldleika. Land: 13 vistlendi og landgerðir. Ferskvatn: stöðuvötn og straumvötn. Fjörur: grýttar fjörur og setfjörur. | |
| Kóði | vg2 | |
| Tegund eigindar í gagnagrunni | Textastrengur (e. character) | [length: 5] |
| Mælieining eigindar | Engin | |
| Gerð gildisóðals | 1 = tilbúið gildi | |

| Gildi fitjueigindar | | |
|---|-------------|--|
| <i>Nafn</i> | <i>Kóði</i> | <i>Skilgreining</i> |
| Melar- og sandlendi, <i>Fell fields, moraines and sands</i> | L1 | Melar- og sandlendi |
| Moldir, <i>Exposed aeolian soils</i> | L2 | Moldir |
| Skriður og klettur, <i>Scree and cliffs</i> | L3 | Skriður og klettur |
| Eyrar, <i>River plains</i> | L4 | Eyrar |
| Moslendi, <i>Moss lands</i> | L5 | Moslendi |
| Hraunlendi, <i>Lava fields</i> | L6 | Hraunlendi |
| Strandlendi, <i>Coastal lands</i> | L7 | Strandlendi |
| Votlendi, <i>Wetlands</i> | L8 | Votlendi |
| Graslendi, <i>Grasslands</i> | L9 | Graslendi |
| Mólendi, <i>Heathlands</i> | L10 | Mólendi |
| Skóglendi, <i>Woodlands</i> | L11 | Skóglendi |
| Jarðhitasvæði, <i>Geothermal lands</i> | L12 | Jarðhitasvæði |
| Jökklar, <i>Glaciers</i> | L13 | Jökklar |
| Aðrar landgerðir, <i>Other land types</i> | L14 | Aðrar landgerðir |
| Stöðuvötn <i>Standing waters</i> | V1 | Stöðuvötn |
| Straumvötn <i>Running waters</i> | V2 | Straumvötn |
| Grýttar fjörur <i>Littoral rock and other hard substrata</i> | F1 | http://www.ni.is/greinar/gryttar-fjorur |
| Setfjörur <i>Littoral sediment</i> | F2 | http://www.ni.is/greinar/setfjorur |
| Sérstæð fjörusvæði <i>Habitat complexes</i> | FX | Sérstæð fjörusvæði afmarkast af einkennum sem ganga þvert á flokkunarkerfi fjöruvistgerða en eru þó nægilega afgerandi til marka fjörusvæðunum ákveðna sérstöðu. Dæmi um slíkt eru sjávarlón, fjörupollar og árósar. |

Fitjueigind

| | |
|--------------------------------------|---|
| Nafn | Flokkun íslenskra vistgerða, 3. þrep |
| Skilgreining | Eiginlegar vistgerðir fyrir land, ferskvatn og fjöru. |
| Kóði | vg3 |
| Tegund eigindar í gagnagrunni | Textastrengur (e. character) [length: 5] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| Gildi fitjueigindar | | |
|--|-------------|---|
| <i>Nafn</i> | <i>Kóði</i> | <i>Skilgreining</i> |
| Eyðimelavist, <i>Glacial moraines with very sparse or no vegetation</i> | L1.1 | http://www.ni.is/greinar/eydimelavist |
| Grasmelavist, <i>Glacial moraines with very sparse or no vegetation</i> | L1.2 | http://www.ni.is/greinar/grasmelavist |
| Mosamelavist, <i>Oroboreal Carex bigelowii-Racomitrium moss-heaths</i> | L1.3 | http://www.ni.is/greinar/mosamelavist |
| Víðimelavist, <i>Glacial moraines with very sparse or no vegetation</i> | L1.4 | http://www.ni.is/greinar/vidimelavist |
| Sanda- og vikravist, <i>Volcanic ash and lapilli fields</i> | L1.5 | http://www.ni.is/greinar/sanda-og-vikravist |
| Landmelhólavist, <i>Icelandic inland dunes</i> | L1.6 | http://www.ni.is/greinar/landmelholavist |
| Moldavist, <i>Icelandic exposed andic soils</i> | L2.1 | http://www.ni.is/greinar/moldavist |
| Urðarskriðuvist, <i>Icelandic talus slopes</i> | L3.1 | http://www.ni.is/greinar/urdarskriduvist |
| Grasvíðiskriðuvist, <i>Icelandic Salix herbacea screes</i> | L3.2 | http://www.ni.is/greinar/grasvidiskriduvist |
| Ljónslappaskriðuvist, <i>Icelandic Alchemilla screes</i> | L3.3 | http://www.ni.is/greinar/ljonslappaskriduvist |
| Eyravist, <i>Unvegetated or sparsely vegetated shores</i> | L4.1 | http://www.ni.is/greinar/eyravist |
| Auravist, <i>Icelandic braided river plains</i> | L4.2 | http://www.ni.is/greinar/auravist |
| Héluosavist, <i>Boreal moss snowbed communities</i> | L5.1 | http://www.ni.is/greinar/helumosavist |
| Melagambravist, <i>Icelandic Racomitrium ericoides heaths</i> | L5.2 | http://www.ni.is/greinar/melagambravist |
| Hraungambravist, <i>Moss and lichen fjell fields</i> | L5.3 | http://www.ni.is/greinar/hraungambravist |
| Eyðihraunavist, <i>Barren Icelandic lava fields</i> | L6.1 | http://www.ni.is/greinar/eydihraunavist |
| Fléttuhraunavist, <i>Icelandic lava field lichen heaths</i> | L6.2 | http://www.ni.is/greinar/flettuhraunavist |
| Mosahraunavist, <i>Icelandic lava field moss heaths</i> | L6.3 | http://www.ni.is/greinar/mosahraunavist |
| Lynghraunavist, <i>Icelandic lava field shrub heaths</i> | L6.4 | http://www.ni.is/greinar/lynghraunavist |
| Sandstrandarvist, <i>Icelandic sand beach perennial communities</i> | L7.1 | http://www.ni.is/greinar/sandstrandarvist |
| Malarstrandarvist, <i>Upper shingle beaches with open vegetation</i> | L7.2 | http://www.ni.is/greinar/malarstrandarvist |
| Strandmelhólavist, <i>Atlantic embryonic dunes</i> | L7.3 | http://www.ni.is/greinar/strandmelholavist |
| Grashólavist, <i>Northern fixed grey dunes</i> | L7.4 | http://www.ni.is/greinar/grasholavist |

| | | |
|--|-------|---|
| Sjávarfitjungsvisi, <i>Atlantic lower shore communities</i> | L7.5 | http://www.ni.is/greinar/sjavarfitjungsvisi |
| Gulstararfitjavisi, <i>Icelandic Carex lyngbyei salt meadows</i> | L7.6 | http://www.ni.is/greinar/gulstararfitjavisi |
| Sjávarkletta- og eyjavisi, <i>Atlantic sea-cliff communities</i> | L7.7 | http://www.ni.is/greinar/sjavarkletta-og-eyjavisi |
| Dýjavisi, <i>Philonotis-Saxifraga stellaris springs</i> | L8.1 | http://www.ni.is/greinar/dyjavisi |
| Rekjuvisi, <i>Icelandic stiff sedge fens</i> | L8.2 | http://www.ni.is/greinar/rekjuvisi |
| Sandamýravisi, <i>Cottonsedge marsh-fens</i> | L8.3 | http://www.ni.is/greinar/sandamyravisi |
| Hrossanálarvisi, <i>Juncus arcticus meadows</i> | L8.4 | http://www.ni.is/greinar/hrossanalarvisi |
| Runnamýravisi á hálandi, <i>Boreal black sedge-brown moss fens</i> | L8.5 | http://www.ni.is/greinar/runnamyravisi-a-halendi |
| Runnamýravisi á láglendi, <i>Boreal black sedge-brown moss fens</i> | L8.6 | http://www.ni.is/greinar/runnamyravisi-a-laglendi |
| Rimamýravisi, <i>Aapa mires</i> | L8.7 | http://www.ni.is/greinar/rimamyravisi |
| Rústamýravisi, <i>Palsa mires</i> | L8.8 | http://www.ni.is/greinar/rustamyravisi |
| Starungsmýravisi, <i>Icelandic black sedge-brown moss fens</i> | L8.9 | http://www.ni.is/greinar/starungsmyravisi |
| Hengistararflóavisi, <i>Icelandic Carex rariflora alpine fens</i> | L8.10 | http://www.ni.is/greinar/hengistararfloavisi |
| Brokflóavisi, <i>Common cotton-grass fens</i> | L8.11 | http://www.ni.is/greinar/brokfloavisi |
| Starungsflóavisi, <i>Icelandic black sedge-brown moss fens</i> | L8.12 | http://www.ni.is/greinar/starungsfloavisi |
| Tjarnastararflóavisi, <i>Basicline bottle sedge quaking mires</i> | L8.13 | http://www.ni.is/greinar/tjarnastararfloavisi |
| Gulstararflóavisi, <i>Icelandic Carex lyngbyei fens</i> | L8.14 | http://www.ni.is/greinar/gultararfloavisi |
| Stinnastararvisi, <i>Icelandic Carex bigelowii grasslands</i> | L9.1 | http://www.ni.is/greinar/stinnastararvisi |
| Finnungsvisi, <i>Insular Nardus-Galium grasslands</i> | L9.2 | http://www.ni.is/greinar/finnungsvisi |
| Bugðupuntsvisi, <i>Wavy hair-grass grasslands</i> | L9.3 | http://www.ni.is/greinar/bugdupuntsvisi |
| Snarrótarvisi, <i>Boreal tufted hairgrass meadows</i> | L9.4 | http://www.ni.is/greinar/snarrotarvisi |
| Grasengjavisi, <i>Icelandic Festuca grasslands</i> | L9.5 | http://www.ni.is/greinar/grasengjavisi |
| Língresis- og vingulsvisi, <i>Boreo-subalpine Agrostis grasslands</i> | L9.6 | http://www.ni.is/greinar/lingresis-og-vingulsvisi |
| Blómgresisvisi, <i>Northern boreal Festuca grasslands</i> | L9.7 | http://www.ni.is/greinar/blomgresisvisi |
| Mosamóavisi, <i>Icelandic Racomitrium grass heaths</i> | L10.1 | http://www.ni.is/greinar/mosamoavisi |
| Flagmóavisi, <i>Arctic Dryas heaths</i> | L10.2 | http://www.ni.is/greinar/flagmoavisi |
| Starmóavisi, <i>Icelandic Carex bigelowii heaths</i> | L10.3 | http://www.ni.is/greinar/starmoavisi |
| Grasmóavisi, <i>Icelandic Empetrum Thymus grasslands</i> | L10.4 | http://www.ni.is/greinar/grasmoavisi |

| | | |
|--|--------|---|
| Fléttumóavist, <i>Icelandic lichen Racomitrium heaths</i> | L10.5 | http://www.ni.is/greinar/flettumoavist |
| Fjalldrapamóavist, <i>North Atlantic boreo-alpine heaths</i> | L10.6 | http://www.ni.is/greinar/fjalldrapamoavist |
| Lyngmóavist á hálandi, <i>Oroboreal moss-dwarf willow snowbed communities</i> | L10.7 | http://www.ni.is/greinar/lyngmoavist-a-halendi |
| Lyngmóavist á láglendi, <i>North Atlantic Vaccinium-Empetrum-Racomitrium heaths</i> | L10.8 | http://www.ni.is/greinar/lyngmoavist-a-laglendi |
| Víðimóavist, <i>Icelandic Salix lanata/S. phylicifolia scrub</i> | L10.9 | http://www.ni.is/greinar/vidimoavist |
| Víðikjarrvist, <i>Oroboreal willow scrub</i> | L10.10 | http://www.ni.is/greinar/vidikjarrvist |
| Kjarrskógavist, <i>Boreo-Atlantic crowberry-bog bilberry birch woods</i> | L11.1 | http://www.ni.is/greinar/kjarrskogavist |
| Lyngskógavist, <i>Icelandic bog bilberry-hairgrass birch woods</i> | L11.2 | http://www.ni.is/greinar/lyngskogavist |
| Blómskógavist, <i>Icelandic cranesbill birch woods</i> | L11.3 | http://www.ni.is/greinar/blomskogavist |
| Mýrahveravist, <i>Geothermal wetlands</i> | L12.1 | http://www.ni.is/greinar/myrahveravist |
| Móahveravist, <i>Geothermal heathlands</i> | L12.2 | http://www.ni.is/greinar/moahveravist |
| Fjallahveravist, <i>Geothermal alpine habitats</i> | L12.3 | http://www.ni.is/greinar/fjallahveravist |
| Hveraleirsvist, <i>Geothermal bare grounds</i> | L12.4 | http://www.ni.is/greinar/hveraleirsvist |
| Jökklar og urðarjökklar, <i>Glaciers, rock glaciers and unvegetated ice-dominated moraines</i> | L13.1 | http://www.ni.is/greinar/joklar-og-urdarjoklar |
| Þéttbýli og annað manngert land, <i>Constructed, industrial and other artificial habitats</i> | L14.1 | http://www.ni.is/greinar/thettbyli-og-annad-mannmert-land |
| Tún og akurlendi, <i>Regularly or recently cultivated agricultural, horticultural and domestic habitats</i> | L14.2 | http://www.ni.is/greinar/tun-og-akurlendi |
| Skógrækt, <i>Mixed forestry plantations</i> | L14.3 | http://www.ni.is/greinar/skograekt |
| Alaskalúpína, <i>Land reclamation forb fields</i> | L14.4 | http://www.ni.is/greinar/alaskalupina |
| Flatlendisvötn <i>Rooted floating vegetation of oligotrophic waterbodies. Water-fringing reedbeds and tall helophytes other than canes.</i> | V1.1 | http://www.ni.is/greinar/flatlendisvotn |
| Laukavötn <i>Rooted submerged vegetation of oligotrophic waterbodies. Species-poor beds of low-growing water-fringing or amphibious vegetation.</i> | V1.2 | http://www.ni.is/greinar/laukavotn |
| Tegundarík kranspörungavötn <i>Species rich Charales lakes. Exposed unvegetated freshwater lake sands and shingles.</i> | V1.3 | http://www.ni.is/greinar/tegundarik-kransthorungavotn |
| Kranspörungavötn á hálandi <i>Nitella carpets. Exposed unvegetated freshwater lake sands and shingles.</i> | V1.4 | http://www.ni.is/greinar/kransthorungavotn-a-halendi |
| Gróðurlítil hálandisvötn <i>Icelandic sparsely vegetated highland lakes. Exposed unvegetated freshwater lake sands and shingles.</i> | V1.5 | http://www.ni.is/greinar/grodurlitil-halendisvotn |
| Hálandistjarnir <i>Icelandic highland ponds.</i> | V1.6 | http://www.ni.is/greinar/halendistjarnir |

| | | |
|---|---------------|---|
| Jökulvötn <i>Icelandic glacier fed-lakes. Exposed unvegetated freshwater lake sands and shingles.</i> | V1.7 | http://www.ni.is/greinar/jokulvotn |
| Strandvötn <i>Icelandic coastal lakes. Water-fringing reedbeds and tall helophytes other than canes.</i> | V1.8 | http://www.ni.is/greinar/strandvotn |
| Súr vötn <i>Icelandic acidic lakes. Exposed unvegetated freshwater lake sands and shingles.</i> | V1.9 | http://www.ni.is/greinar/sur-votn |
| Kaldar lindir <i>Fennoscandian mineral-rich springs and springfens.</i> | V2.1 | http://www.ni.is/greinar/kaldar-lindir |
| Jarðhitalækir <i>Thermal spring brooks.</i> | V2.2 | http://www.ni.is/greinar/jardhitalaekir |
| Ár á yngri berggrunni <i>Icelandic spring-fed rivers.</i> | V2.3 | http://www.ni.is/greinar/ar-a-yngri-berggrunni |
| Ár á eldri berggrunni án votlendisáhrifa <i>Permanent non-tidal, fast, turbulent watercourses.</i> | V2.4 | http://www.ni.is/greinar/ar-a-eldri-berggrunni-an-votlendisahrifu |
| Ár á eldri berggrunni með votlendisáhrifum <i>Acid oligotrophic vegetation of fast-flowing streams.</i> | V2.5 | http://www.ni.is/greinar/ar-a-eldri-berggrunni-med-votlendisahrifum |
| Æðplöntustraumvötn <i>Oligotrophic vegetation of slow-flowing rivers.</i> | V2.6 | http://www.ni.is/greinar/aedplontustraumvotn |
| Ámosastraumvötn <i>Icelandic Fontinalis antipyretica rivers.</i> | V2.7 | http://www.ni.is/greinar/amosastraumvotn |
| Jökulár <i>Icelandic glacier-fed rivers.</i> | V2.8 | http://www.ni.is/greinar/jokular |
| Grýttar fjörur – óflokkaðar <i>Littoral rock and other hard substrata, uncategorised</i> | F1, F1.x ? | http://www.ni.is/greinar/gryttar-fjorur |
| Hrúðurkarlafjörur <i>Mussel and/or barnacle communities</i> | F1.1 | http://www.ni.is/greinar/hrudurkarlafjorur |
| Brimasamar hnúllungafjörur <i>Ephemeral algae on boulder shores</i> | F1.2 | http://www.ni.is/greinar/brimasamar-hnullungafjorur |
| Pangfjörur <i>Moderate energy littoral rock. Low energy littoral rock</i> | F1.3 | http://www.ni.is/greinar/thangfjorur |
| Líflitlar sandfjörur <i>Littoral sand and muddy sand</i> | F2.1 | http://www.ni.is/greinar/liflitlar-sandfjorur |
| Óseyrar <i>Estuarine coarse sediment shores</i> | F2.2 | http://www.ni.is/greinar/oseyrar |
| Leirur <i>Littoral mud</i> | F2.3 | http://www.ni.is/greinar/leirur |
| Grýttur sandleir <i>Littoral mixed sediments</i> | F2.4 | http://www.ni.is/greinar/gryttur-sandleir |
| Fjörumór <i>Ceramium sp. and piddocks on eulittoral fossilised peat</i> | F2.5 | http://www.ni.is/greinar/fjorumor |
| Sjávarlón <i>Saline coastal lagoons. Brackish coastal lagoons</i> | FX.1 | http://www.ni.is/greinar/sjavarlon |
| Fjörupollar <i>Communities of littoral rockpools. Communities of rockpools in the supralittoral zone</i> | FX.2 | http://www.ni.is/greinar/fjorupollar |
| Árósar <i>Estuaries</i> | FX.3 | http://www.ni.is/greinar/arosar |

Fitjueigind

| | | |
|--------------------------------------|--|-------------|
| Nafn | Flokkun íslenskra vistgerða, 4. þrep | |
| Skilgreining | Undirvistgerðir fjögurra fjöruvistgerða; þangfjörur, líflitlar sandfjörur, óseyrar og leirur | |
| Kóði | vg4 | |
| Tegund eigindar í gagnagrunni | Textastrengur (e. character) | [length: 5] |
| Mælieining eigindar | Engin | |
| Gerð gildisóðals | 1 = tilbúið gildi | |

| Gildi fitjueigindar | | |
|--|-------------|---|
| <i>Nafn</i> | <i>Kóði</i> | <i>Skilgreining</i> |
| Þangfjörur – óflokkaðar <i>Moderate energy littoral rock. Low energy littoral rock, uncategorised</i> | F1.3,x | http://www.ni.is/greinar/thangfjorur |
| Klóbansfjörur <i>Fucoids on sheltered marine shores</i> | F1.31 | http://www.ni.is/greinar/klohangsfjorur |
| Bólubansfjörur <i>Barnacles and fucoids on moderately exposed shores</i> | F1.32 | http://www.ni.is/greinar/boluthangsfjorur |
| Skúfþangfjörur <i>Fucus distichus on moderate/high energy littoral rock.</i> | F1.33 | http://www.ni.is/greinar/skufthangsfjorur |
| Sagþangfjörur <i>Fucoids on sheltered marine shores</i> | F1.34 | http://www.ni.is/greinar/sagthangsfjorur |
| Þangklungur <i>Fucoids on sheltered marine shores. Fucoids in variable salinity</i> | F1.35 | http://www.ni.is/greinar/thangklungur |
| Líflitlar sandfjörur | F2.1x | http://www.ni.is/greinar/liflitlar-sandfjorur |
| Brimasamar sandfjörur <i>Barren or amphipod-dominated mobile sand shores</i> | F2.11 | http://www.ni.is/greinar/brimasamar-sandfjorur |
| Óseyrar | F2.2x | http://www.ni.is/greinar/oseyrar |
| Kræklinga- og sölváóseyrar <i>Mytilus and Palmaria estuarine shore</i> | F.2.21 | http://www.ni.is/greinar/kraeklinga-og-solvaoseyrar |
| Leirur – óflokkaðar <i>Littoral mud, uncategorised</i> | F2.3x | http://www.ni.is/greinar/leirur |
| Sandmaðksleirur <i>Macoma balthica and Arenicola marina in muddy sand shores</i> | F2.31 | http://www.ni.is/greinar/sandmadksleirur |
| Kræklingaleirur <i>Polychaete/bivalve-dominated muddy sand shores</i> | F2.32 | http://www.ni.is/greinar/kraeklingaleirur |
| Skeralleirur <i>Hediste diversicolor in littoral mud</i> | F2.33 | http://www.ni.is/greinar/skeraleirur |
| Gulþörungaleirur <i>Tubificoides benedii and other oligochaetes in littoral mud</i> | F2.34 | http://www.ni.is/greinar/gulthorungaleirur |
| Marhálmsgræður <i>Seagrass beds on littoral sediments</i> | F2.35 | http://www.ni.is/greinar/marhalmsgraedur |
| Sjávarlón óflokkað | FX.1x | http://www.ni.is/greinar/sjavarlon |
| Háseltulón <i>Saline coastal lagoons</i> | FX.11 | http://www.ni.is/greinar/haseltulon |
| Leirulón <i>Brackish coastal lagoons</i> | FX.12 | http://www.ni.is/greinar/leirulon |

Fitjueigind

| | |
|--------------------------------------|--|
| Nafn | Flokkun íslenskra vistgerða, 5. þrep |
| Skilgreining | Sértæk undirflokkun fjöruvistgerðinnar þangklungur |
| Kóði | vg5 |
| Tegund eigindar í gagnagrunni | Textastrengur (e. character) [length: 10] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| Gildi fitjueigindar | | |
|---|-------------|---|
| <i>Nafn</i> | <i>Kóði</i> | <i>Skilgreining</i> |
| Þangklungur óflokkað | F1.35.x | Óflokkað, http://www.ni.is/greinar/thangklungur |
| Klópangsklungur <i>Ascophyllum nodosum on full salinity mid eulittoral mixed substrata</i> | F1.35.1 | http://www.ni.is/greinar/klohangsklungur |
| Bólþangsklungur <i>Fucus vesiculosus on variable salinity mid eulittoral boulders and stable mixed substrata</i> | F1.35.2 | http://www.ni.is/greinar/boluthangsklungur |

Fitjueigind

| | |
|--------------------------------------|--|
| Nafn | Flokkun íslenskra vistgerða með fjarkönnun, 3 þrep |
| Skilgreining | Gildi í rastamynd er segir til um vistgerð ef ekki er hægt að tengja rastamynd við töflugögn |
| Kóði | Gridcode |
| Tegund eigindar í gagnagrunni | Heiltala (e. integer) [short integer] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| Gildi fitjueigindar | | |
|---|-------------|---|
| <i>Nafn</i> | <i>Kóði</i> | <i>Skilgreining</i> |
| L1.1 Eyðimelavist, <i>Glacial moraines with very sparse or no vegetation</i> | 1 | http://www.ni.is/greinar/eydimelavist |
| L1.2 Grasmelavist, <i>Glacial moraines with very sparse or no vegetation</i> | 2 | http://www.ni.is/greinar/grasmelavist |
| L1.3 Mosamelavist, <i>Oroboreal Carex bigelowii-Racomitrium moss-heaths</i> | 3 | http://www.ni.is/greinar/mosamelavist |
| L1.4 Víðimelavist, <i>Glacial moraines with very sparse or no vegetation</i> | 4 | http://www.ni.is/greinar/vidimelavist |
| L1.5 Sanda- og vikravist, <i>Volcanic ash and lapilli fields</i> | 5 | http://www.ni.is/greinar/sanda-og-vikravist |
| L1.6 Landmelhólavist, <i>Icelandic inland dunes</i> | 122 | http://www.ni.is/greinar/landmelholavist |
| L2.1 Moldavist, <i>Icelandic exposed andic soils</i> | 18 | http://www.ni.is/greinar/moldavist |
| L3.1 Urðarskriðuvist, <i>Icelandic talus slopes</i> | 7 | http://www.ni.is/greinar/urdarskriduvist |
| L3.2 Grasvíðiskriðuvist, <i>Icelandic Salix herbacea screes</i> | 8 | http://www.ni.is/greinar/grasvidiskriduvist |
| L3.3 Ljónslappaskriðuvist, <i>Icelandic Alchemilla screes</i> | 6 | http://www.ni.is/greinar/ljonslappaskriduvist |

| | | | |
|------|--|-----|---|
| L4.1 | Eyravist, <i>Unvegetated or sparsely vegetated shores</i> | 10 | http://www.ni.is/greinar/eyravist |
| L4.2 | Auravist, <i>Icelandic braided river plains</i> | 9 | http://www.ni.is/greinar/auravist |
| L5.1 | Hélumosavist, <i>Boreal moss snowbed communities</i> | 11 | http://www.ni.is/greinar/helumosavist |
| L5.2 | Melagambrovist, <i>Icelandic <i>Racomitrium ericoides</i> heaths</i> | 12 | http://www.ni.is/greinar/melagambrovist |
| L5.3 | Hraungambrovist, <i>Moss and lichen fjell fields</i> | 13 | http://www.ni.is/greinar/hraungambrovist |
| L6.1 | Eyðihraunavist, <i>Barren Icelandic lava fields</i> | 15 | http://www.ni.is/greinar/eydihraunavist |
| L6.2 | Fléttuhraunavist, <i>Icelandic lava field lichen heaths</i> | 14 | http://www.ni.is/greinar/flettuhraunavist |
| L6.3 | Mosahraunavist, <i>Icelandic lava field moss heaths</i> | 17 | http://www.ni.is/greinar/mosahraunavist |
| L6.4 | Lynghraunavist, <i>Icelandic lava field shrub heaths</i> | 16 | http://www.ni.is/greinar/lynghraunavist |
| L7.1 | Sandstrandarvist, <i>Icelandic sand beach perennial communities</i> | 25 | http://www.ni.is/greinar/sandstrandarvist |
| L7.2 | Malarstrandarvist, <i>Upper shingle beaches with open vegetation</i> | 24 | http://www.ni.is/greinar/malarstrandarvist |
| L7.3 | Strandmelhólavist, <i>Atlantic embryonic dunes</i> | 22 | http://www.ni.is/greinar/strandmelholavist |
| L7.4 | Grashólavist, <i>Northern fixed grey dunes</i> | 20 | http://www.ni.is/greinar/grasholavist |
| L7.5 | Sjávarfitjungsvist, <i>Atlantic lower shore communities</i> | 23 | http://www.ni.is/greinar/sjavarfitjungsvist |
| L7.6 | Gulstararfitjavist, <i>Icelandic <i>Carex lyngbyei</i> salt meadows</i> | 21 | http://www.ni.is/greinar/gulstararfitjavist |
| L7.7 | Sjávarkletta- og eyjavist, <i>Atlantic sea-clif communities</i> | 19 | http://www.ni.is/greinar/sjavarkletta-og-eyjavist |
| L8.1 | Dýjavist, <i>Philonotis-Saxifraga stellaris springs</i> | 26 | http://www.ni.is/greinar/dyjavist |
| L8.2 | Rekjuvist, <i>Icelandic stiff sedge fens</i> | 33 | http://www.ni.is/greinar/rekjuvist |
| L8.3 | Sandamýravist, <i>Cottonsedge marsh-fens</i> | 37 | http://www.ni.is/greinar/sandamyravist |
| L8.4 | Hrossanálarvist, <i>Juncus arcticus meadows</i> | 28 | http://www.ni.is/greinar/hrossanalarvist |
| L8.5 | Runnamýravist á hálendi, <i>Boreal black sedge-brown moss fens</i> | 35 | http://www.ni.is/greinar/runnamyravist-a-halendi |
| L8.6 | Runnamýravist á láglendi, <i>Boreal black sedge-brown moss fens</i> | 34 | http://www.ni.is/greinar/runnamyravist-a-laglendi |
| L8.7 | Rimamýravist, <i>Aapa mires</i> | 130 | http://www.ni.is/greinar/rimamyravist |

| | | | |
|--------|--|----|---|
| L8.8 | Rústamýravist, <i>Palsa mires</i> | 36 | http://www.ni.is/greinar/rustamyravist |
| L8.9 | Starungsmýravist, <i>Icelandic black sedge-brown moss fens</i> | 32 | http://www.ni.is/greinar/starungsmyravist |
| L8.10 | Hengistararflóavist, <i>Icelandic Carex rariflora alpine fens</i> | 30 | http://www.ni.is/greinar/hengistararfloavist |
| L8.11 | Brokflóavist, <i>Common cotton-grass fens</i> | 29 | http://www.ni.is/greinar/brokfloavist |
| L8.12 | Starungsfloavist, <i>Icelandic black sedge-brown moss fens</i> | 31 | http://www.ni.is/greinar/starungsfloavist |
| L8.13 | Tjarnastararflóavist, <i>Basicline bottle sedge quaking mires</i> | 38 | http://www.ni.is/greinar/tjarnastararfloavist |
| L8.14 | Gulstararflóavist, <i>Icelandic Carex lyngbyei fens</i> | 27 | http://www.ni.is/greinar/gulstararfloavist |
| L9.1 | Stinnastararvist, <i>Icelandic Carex bigelowii grasslands</i> | 45 | http://www.ni.is/greinar/stinnastararvist |
| L9.2 | Finnungsvist, <i>Insular Nardus-Galium grasslands</i> | 42 | http://www.ni.is/greinar/finnungsvist |
| L9.3 | Bugðupuntsvist, <i>Wavy hair-grass grasslands</i> | 40 | http://www.ni.is/greinar/bugdupuntsvist |
| L9.4 | Snarrótarvist, <i>Boreal tufted hairgrass meadows</i> | 44 | http://www.ni.is/greinar/snarrotarvist |
| L9.5 | Grasengjavist, <i>Icelandic Festuca grasslands</i> | 41 | http://www.ni.is/greinar/grasengjavist |
| L9.6 | Língresis- og vingulsvist, <i>Boreo-subalpine Agrostis grasslands</i> | 43 | http://www.ni.is/greinar/lingresis-og-vingulsvist |
| L9.7 | Blómgresisvist, <i>Northern boreal Festuca grasslands</i> | 39 | http://www.ni.is/greinar/blomgresisvist |
| L10.1 | Mosamóavist, <i>Icelandic Racomitrium grass heaths</i> | 51 | http://www.ni.is/greinar/mosamoavist |
| L10.2 | Flagmóavist, <i>Arctic Dryas heaths</i> | 52 | http://www.ni.is/greinar/flagmoavist |
| L10.3 | Starmóavist, <i>Icelandic Carex bigelowii heaths</i> | 53 | http://www.ni.is/greinar/starmoavist |
| L10.4 | Grasmóavist, <i>Icelandic Empetrum Thymus grasslands</i> | 48 | http://www.ni.is/greinar/grasmoavist |
| L10.5 | Fléttumóavist, <i>Icelandic lichen Racomitrium heaths</i> | 47 | http://www.ni.is/greinar/flettumoavist |
| L10.6 | Fjalldrapamóavist, <i>North Atlantic boreo-alpine heaths</i> | 46 | http://www.ni.is/greinar/fjalldrapamoavist |
| L10.7 | Lyngmóavist á hálandi, <i>Oroboreal moss-dwarf willow snowbed communities</i> | 49 | http://www.ni.is/greinar/lyngmoavist-a-halendi |
| L10.8 | Lyngmóavist á láglendi, <i>North Atlantic Vaccinium-Empetrum-Racomitrium heaths</i> | 50 | http://www.ni.is/greinar/lyngmoavist-a-laglendi |
| L10.9 | Víðimóavist, <i>Icelandic Salix lanata/S. phylicifolia scrub</i> | 55 | http://www.ni.is/greinar/vidimoavist |
| L10.10 | Víðikjarrvist, <i>Oroboreal willow scrub</i> | 54 | http://www.ni.is/greinar/vidikjarvist |

| | | | |
|-------|--|-----|---|
| L11.1 | Kjarrskógavist, <i>Boreo-Atlantic crowberry-bog bilberry birch woods</i> | 152 | http://www.ni.is/greinar/kjarrskogavist |
| L11.2 | Lyngskógavist, <i>Icelandic bog bilberry-hairgrass birch woods</i> | 152 | http://www.ni.is/greinar/lyngskogavist |
| L11.3 | Blómskógavist, <i>Icelandic cranesbill birch woods</i> | 152 | http://www.ni.is/greinar/blomskogavist |
| L13.1 | Jökla og urðarjökla, <i>Glaciers, rock glaciers and unvegetated ice-dominated moraines</i> | 108 | http://www.ni.is/greinar/joklar-og-urdarjoklar |
| L14.1 | Þéttbýli og annað manngert land, <i>Constructed, industrial and other artificial habitats</i> | 150 | http://www.ni.is/greinar/thettbyli-og-annad-mannkert-land |
| L14.2 | Tún og akurlendi, <i>regularly or recently cultivated agricultural, horticultural and domestic habitats</i> | 95 | http://www.ni.is/greinar/tun-og-akurlendi |
| L14.3 | Skógrækt, <i>Mixed forestry plantations</i> | 153 | http://www.ni.is/greinar/skograekt |
| L14.4 | Alaskalúpína, <i>Land reclamation forb fields</i> | 160 | http://www.ni.is/greinar/alaskalupina |

Fitjueigind

| | |
|--------------------------------------|--|
| Nafn | Heimildir fyrir flokkun og kortlagningu |
| Skilgreining | Gerð heimilda við flokkun og kortlagningu ferskvatns- og fjöruvistgerða. |
| Kóði | gerdHeimild |
| Tegund eigindar í gagnagrunni | Heitala (e. integer) [short integer] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| | |
|----------------------------|---------------------------------------|
| Gildi fitjueigindar | |
| <i>Nafn</i> | <i>Kóði</i> <i>Skilgreining</i> |
| Vettvangsrannsókn | 1 Gögn fengin með vettvangsrannsókn |
| Skrifleg heimild | 2 Gögn í vísindaritum og greinum |
| Ljósmynd | 3 Ljósmyndir af vettvangi |
| Loftmynd með gögnum | 4 Loftmyndir ásamt öðrum gögnum |
| Loftmynd | 5 Loftmyndir |
| Munnleg heimild | 6 Munnlegar heimildir |
| Annað | 7 Annað |

Fitjueigind

| | |
|--------------------------------------|---|
| Nafn | EUNIS flokkun |
| Skilgreining | Skráð er númer vistgerðar samkvæmt EUNIS-flokkunarkerfinu (European Environment Agency 2012). |
| Kóði | EUNIS_1 |
| Tegund eigindar í gagnagrunni | Textastrengur (e. character) [length: 10] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| | |
|---|--|
| Gildi fitjueigindar | |
| Númer (kóði) skilgreindur af Umhverfistofnun Evrópu (European Environment Agency): http://eunis.eea.europa.eu/habitats-code-browser.jsp | |

Fitjueigind

| | |
|--------------------------------------|--|
| Nafn | EUNIS flokkun, viðbót |
| Skilgreining | Þegar íslenskar vistgerðir eiga við tvö eða fleiri númer samkvæmt EUNIS-flokkunarkerfinu (European Environment Agency 2012), þá er seinna númerið skráð hér. |
| Kóði | EUNIS_2 |
| Tegund eigindar í gagnagrunni | Textastrengur (e. character) [length: 10] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| | |
|---|--|
| Gildi fitjueigindar | |
| Númer (kóði) skilgreindur af Umhverfistofnun Evrópu (European Environment Agency): http://eunis.eea.europa.eu/habitats-code-browser.jsp | |

Fitjueigind

| | |
|--------------------------------------|--|
| Nafn | Nýr EUNIS flokkur, tillaga |
| Skilgreining | Tillaga um nýja vistgerð í EUNIS-flokkunarkerfinu (sjá Fjölrít Náttúrufræðistofnunar nr. 54) |
| Kóði | nyrEUNIS |
| Tegund eigindar í gagnagrunni | Heiltala (e. integer) [short integer] |
| Mælieining eigindar | Engin |
| Gerð gildisóðals | 1 = tilbúið gildi |

| | | |
|----------------------------|-------------|--|
| Gildi fitjueigindar | | |
| <i>Nafn</i> | <i>Kóði</i> | <i>Skilgreining</i> |
| Engin breyting | 0 | Engin breyting |
| Nýr EUNIS flokkur | 1 | Tillaga um nýja vistgerð í EUNIS-kerfinu |

Heimild: Jón Gunnar Ottósson, Anna Sveinsdóttir og María Harðardóttir, ritsj. 2016. Vistgerðir á Íslandi. Fjölrít Náttúrufræðistofnunar nr. 54. 299 s.

Útgáfusaga og breytingar

| Útgáfunúmer | Dagsetning útgáfu | Hver breytti | Athugasemdir |
|-------------|-------------------|-----------------------|---------------------|
| 1.0 | 21.11.2012 | aga – LMI atm – NÍ | 1. útgáfa skjalsins |
| 2.0 | 14.03.2017 | atm/la – NÍ | 2. útgáfa |
| | | | |